

mongod haga

[List all commands](#) | [Replica set status](#)

Commands: [buildInfo](#) [cursorInfo](#) [features](#) [hostInfo](#) [isMaster](#) [listDatabases](#) [replSetGetStatus](#) [serverStatus](#) [top](#)

```
db version v2.4.5
git hash: a2ddc68ba7c9cee17bfe69ed840383ec3506602b
sys info: Linux ip-10-2-29-40 2.6.21.7-2.ec2.v1.2.fc8xen #1 SMP Fri Nov 20 17:48:28 EST 2009 x86_64 BOOST_LIB_VERSION=1_49
uptime: 621 seconds
```

overview (only reported if can acquire read lock quickly)

```
time to get readlock: 0ms
# databases: 4
# Cursors: 0
replication:
replInfo: ?

--replSet sprawk
master: 1
slave: 0
```

clients

Client	OpId	Locking	Waiting	SecsRunning	Op	Namespace	Query	client	msg	progress
repl prefetch worker	249		{ waitingForLock: false }		0	jerome5.TranslationResult		:27017		
repl prefetch worker	248		{ waitingForLock: false }		0	jerome5.TranslationResult		:27017		
repl prefetch worker	250		{ waitingForLock: false }		0	jerome5.HitLog		:27017		
repl prefetch worker	251		{ waitingForLock: false }		0	jerome5.TranslationResult		:27017		
repl prefetch worker	252		{ waitingForLock: false }		0	jerome5.TranslationResult		:27017		
repl prefetch worker	253		{ waitingForLock: false }		0	jerome5.TranslationResult		:27017		
repl prefetch worker	254		{ waitingForLock: false }		0	jerome5.TranslationResult		:27017		
repl prefetch worker	255		{ waitingForLock: false }		0	jerome5.ViewLog		:27017		
repl prefetch worker	261		{ waitingForLock: false }		0	jerome5.TranslationResult		:27017		
repl prefetch worker	256		{ waitingForLock: false }		0	jerome5.HitLog		:27017		
repl prefetch worker	257		{ waitingForLock: false }		0	jerome5.TranslationResult		:27017		
repl prefetch worker	258		{ waitingForLock: false }		0	jerome5.TranslationResult		:27017		
repl prefetch worker	259		{ waitingForLock: false }		0	jerome5.TranslationResult		:27017		
repl prefetch worker	260		{ waitingForLock: false }		0	jerome5.TranslationResult		:27017		
repl writer worker 2	20314	X	{ waitingForLock: false }	20	0			:27017		
repl writer worker 3	21405	X	{ waitingForLock: false }	1271310	0			:27017		
repl writer worker 4	21349	X	{ waitingForLock: false }	1271310	0			:27017		
conn23	18031		{ waitingForLock: false }		2004	jerome5.Unit	{ \$query: { lc: "eng", tlc: { \$in: ["inauguration was held", "held", "heavily secured", "secured", "capital", "main", "heavily secured areas", "airport", "heavily", "inauguration", "main airport", "secured areas", "mogadishu", "areas"] } }, \$orderby: { f: 1 } }	217.70.33.122:51984		
conn25	9482		{ waitingForLock: false }		2004	jerome5.Unit	{ aggregate: "Unit", pipeline: [{ \$match: { tlc: "also", lc: "eng" } }, { \$project: { wpm: 1 } }, { \$group: { _id: "\$tlc", total: { \$sum: "\$wpm" } } }] }	217.70.33.122:52002		
conn26	6999		{ waitingForLock: false }		2004	jerome5.Unit	{ aggregate: "Unit", pipeline: [{ \$match: { tlc: "turnout", lc: "eng" } }, { \$project: { wpm: 1 } }, { \$group: { _id: "\$tlc", total: { \$sum: "\$wpm" } } }] }	217.70.33.122:52003		

conn27	6672	{ waitingForLock: false }	2004	jerome5.Unit	{ wpm: { \$gte: 0.008999999612569809 }, t: { \$in: ["Electoral", "programme", "joined", "She", "later", "Processes", "the"] }, lc: { \$in: ["por", "est", "pol", "vie", "isl", "nor", "ita", "deu", "ces", "eng", "hun", "sqi", "slk", "slv", "nld", "tur", "dan", "cat", "fra", "fin", "esl", "sve", "lav"] } }	217.70.33.122:52004
conn72	21404	{ waitingForLock: false }	2004		{ replSetHeartbeat: "sprawk", v: 2, pv: 1, checkEmpty: false, from: "sture.transmachina.net:27017" }	217.70.34.135:47808
conn33	7001	{ waitingForLock: false }	2004	jerome5.Unit	{ aggregate: "Unit", pipeline: [{ \$match: { tlc: "turnout", lc: "eng" } }, { \$project: { wpm: 1 } }, { \$group: { _id: "\$tlc", total: { \$sum: "\$wpm" } } }] }	217.70.33.122:52049
initandlisten	7	{ waitingForLock: false }	2002	local.startup_log		0.0.0.0
DataFileSync	0	{ waitingForLock: false }	0			:27017
journal	2	{ waitingForLock: false }	0			:27017
snapshotthread	3	{ waitingForLock: false }	0			:27017
clientcursormon	4	{ waitingForLock: false }	0			:27017
TTLMonitor	21291	{ waitingForLock: false }	2004	local.system.indexes	{ expireAfterSeconds: { \$exists: true } }	0.0.0.0
conn70	21403	{ waitingForLock: false }	2004		{ replSetHeartbeat: "sprawk", v: 2, pv: 1, checkEmpty: false, from: "oden.transmachina.net:27017" }	217.70.33.64:45049
websvr	9	{ waitingForLock: false }	0	admin.system.users		:27017
conn4	21401	{ waitingForLock: false }	2004		{ ismaster: 1 }	217.70.33.122:51760
conn5	7143	{ waitingForLock: false }	2005	jerome5.Unit	{ \$msg: "query not recording (too large)" }	217.70.33.122:51762
conn6	20454	{ waitingForLock: false }	2004	jerome5.Unit	{ \$query: { lc: "eng", tlc: { \$in: ["african", "african legislative", "east african", "east african legislative", "east", "legislative assembly", "assembly", "african legislative assembly", "legislative"] } }, \$orderby: { f: 1 } }	217.70.33.122:51765
rsMgr	11	{ waitingForLock: false }	0			:27017
rsSync	14	{ waitingForLock: false }	0	local.replset.minvalid		:27017
rsBackgroundSync	12	{ waitingForLock: false }	0			:27017
rsSyncNotifier	13	{ waitingForLock: false }	0	local.me		:27017
rsGhostSync	15	{ waitingForLock: false }	0			:27017
conn7	19061	{ waitingForLock: false }	2004	jerome5.Unit	{ \$msg: "query not recording (too large)" }	217.70.33.122:51766
conn8	10110	{ waitingForLock: false }	2005	jerome5.Unit	{ \$msg: "query not recording (too large)" }	217.70.33.122:51767
conn9	20372	{ waitingForLock: false }	2004	jerome5.Example	{ cExists: true, lc: "eng", trans: "esl", pattern: false, group: "all", textLc: "the andean parliament", tLcHash2: -578689193, length: 21 }	217.70.33.122:51768
conn22	7800	{ waitingForLock: false }	2004	jerome5.Unit	{ wpm: { \$gte: 0.008999999612569809 }, t: { \$in: ["Pinatubo", "eruption", "in"] }, lc: { \$in: ["por", "est", "pol", "vie", "isl", "nor", "ita", "deu", "ces", "eng", "hun", "lav"] } }	217.70.33.122:51975

							"sqi", "slk", "slv", "nld", "tur", "dan", "cat", "fra", "fin", "esl", "sve", "lav"] }		
repl prefetch worker	244		{ waitingForLock: false }	0	jerome5.TranslationResult		:27017		
conn30	21398		{ waitingForLock: false }	2004		{ replSetGetStatus: 1 }	217.70.33.64:44573		
conn10	18035		{ waitingForLock: false }	2004	jerome5.Unit	{ \$msg: "query not recording (too large)" }	217.70.33.122:51769		
conn11	18056		{ waitingForLock: false }	2004	jerome5.Unit	{ \$query: { lc: "eng", tlc: { \$in: ["short", "parliament", "final", "achieved", "achieved a parliament", "day", "somalia had achieved", "members", "somalia"] }, \$orderby: { f: 1 } }	217.70.33.122:51770		
conn32	21280		{ waitingForLock: false }	2004	config.settings	{}	217.70.33.64:44579		
conn13	21402		{ waitingForLock: false }	2004		{ ismaster: 1 }	92.132.242.183:58317		
repl writer worker 1	18952	X	{ waitingForLock: 80 false }	0			:27017		
repl prefetch worker	247		{ waitingForLock: false }	0	jerome5.TranslationResult		:27017		

dbtop (occurrences/percent of elapsed)

	total	Reads	Writes	Queries	GetMores	Inserts	Updates	Removes
TOTAL	60 0.2%	18 0.1%	42 0.1%	0 0%	0 0%	0 0%	0 0%	0 0%
jerome5.ViewLog	3 0.0%	3 0.0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
local	1 0.0%	1 0.0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
	14 0.1%	0 0%	14 0.1%	0 0%	0 0%	0 0%	0 0%	0 0%
jerome5.TranslationResult	5 0.0%	5 0.0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
local.replset.minvalid	28 0.0%	0 0%	28 0.0%	0 0%	0 0%	0 0%	0 0%	0 0%
jerome5.HitLog	6 0.0%	6 0.0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
admin	1 0.0%	1 0.0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
jerome5	1 0.0%	1 0.0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%
config	1 0.0%	1 0.0%	0 0%	0 0%	0 0%	0 0%	0 0%	0 0%

write lock % time in write lock, by 4 sec periods
 000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000000
 0000000
[write locked now:](#) false

Log

```
Sun Jul 21 13:07:20.723 [initandlisten] MongoDB starting : pid=11975 port=27017 dbpath=/var/lib/mongo 64-bit host=haga
13:07:20.723 [initandlisten] db version v2.4.5
13:07:20.724 [initandlisten] git version: a2dde68ba7c9cee17bfe69ed840383ec3506602b
13:07:20.724 [initandlisten] build info: Linux ip-10-2-29-40 2.6.21.7-2.ec2.v1.2.fc8xen #1 SMP Fri Nov 20 17:48:28 EST 2009 x86_64 BOOST_LIB_VERSION=1_49
13:07:20.724 [initandlisten] allocator: tcmalloc
13:07:20.724 [initandlisten] options: { auth: "true", config: "/etc/mongod.conf", dbpath: "/var/lib/mongo", fork: "true", keyFile: "/var/lib/mongo/spraak.key", logapp
13:07:20.725 [initandlisten] journal dir=/var/lib/mongo/journal
13:07:20.726 [initandlisten] recover: no journal files present, no recovery needed
13:07:20.789 [websvr] admin web console waiting for connections on port 28017
13:07:20.789 [initandlisten] waiting for connections on port 27017
13:07:21.425 [rsStart] replSet I am haga.transmachina.net:27017
13:07:21.425 [rsStart] replSet STANDBY2
13:07:21.619 [rsHealthPoll] replSet info sture.transmachina.net:27017 thinks that we are down
13:07:21.619 [rsHealthPoll] replSet member sture.transmachina.net:27017 is up
13:07:21.619 [rsHealthPoll] replSet member sture.transmachina.net:27017 is now in state PRIMARY
13:07:21.649 [rsHealthPoll] replSet info oden.transmachina.net:27017 thinks that we are down
13:07:21.649 [rsHealthPoll] replSet member oden.transmachina.net:27017 is up
13:07:21.649 [rsHealthPoll] replSet member oden.transmachina.net:27017 is now in state ARBITER
13:07:21.793 [initandlisten] connection accepted from 217.70.33.64:44426 #1 (1 connection now open)
13:07:21.844 [conn1] authenticate db: local { authenticate: 1, nonce: "43b2656a5403b4a", user: "_system", key: "89151208e4572be39d8514bc3caede8a" }
13:07:21.941 [initandlisten] connection accepted from 217.70.34.135:47723 #2 (2 connections now open)
13:07:21.951 [conn2] end connection 217.70.34.135:47723 (1 connection now open)
13:07:22.000 [initandlisten] connection accepted from 217.70.34.135:47724 #3 (2 connections now open)
13:07:22.048 [conn3] authenticate db: local { authenticate: 1, nonce: "9b248ca28f74e422", user: "_system", key: "d848e698759d77145aed7c382e14da2d" }
13:07:22.144 [conn3] authenticate db: local { authenticate: 1, nonce: "35ac7d095f3c4e65", user: "_system", key: "ec584d1bad9fa8e6efaf6707220937df" }
13:07:22.427 [rsSync] replSet SECONDARY
13:07:23.104 [initandlisten] connection accepted from 217.70.33.122:51760 #4 (3 connections now open)
13:07:23.298 [initandlisten] connection accepted from 217.70.33.122:51762 #5 (4 connections now open)
13:07:23.346 [conn5] authenticate db: jerome5 { authenticate: 1, user: "nic", nonce: "2da2bc3c8c673ccc", key: "891594aa309389250e109df70f00d6fb" }
13:07:23.439 [initandlisten] connection accepted from 217.70.33.122:51765 #6 (5 connections now open)
13:07:23.442 [initandlisten] connection accepted from 217.70.33.122:51766 #7 (6 connections now open)
13:07:23.444 [initandlisten] connection accepted from 217.70.33.122:51767 #8 (7 connections now open)
13:07:23.446 [initandlisten] connection accepted from 217.70.33.122:51768 #9 (8 connections now open)
13:07:23.493 [conn6] authenticate db: jerome5 { authenticate: 1, user: "nic", nonce: "b981634be2d14e0d", key: "d6ac385c070108c0b61185cdc4beeb82" }
13:07:23.497 [conn7] authenticate db: jerome5 { authenticate: 1, user: "nic", nonce: "5cd397ff55e3724f", key: "061013fab84401fc62faf99d1a923cf2" }
13:07:23.498 [conn8] authenticate db: jerome5 { authenticate: 1, user: "nic", nonce: "3a0b11da01fbb569", key: "a826b34cd05f808ce0691fc76ee70c6e" }
13:07:23.502 [initandlisten] connection accepted from 217.70.33.122:51769 #10 (9 connections now open)
13:07:23.503 [conn9] authenticate db: jerome5 { authenticate: 1, user: "nic", nonce: "73c1fb398488a5b8", key: "fc7c75d49009f7ef496d2e796fba3517" }
13:07:23.504 [initandlisten] connection accepted from 217.70.33.122:51770 #11 (10 connections now open)
13:07:23.558 [conn11] authenticate db: jerome5 { authenticate: 1, user: "nic", nonce: "feac31d2863dc3c7", key: "4b524ff47723a466a5d7f135830c43f" }
13:07:23.558 [conn10] authenticate db: jerome5 { authenticate: 1, user: "nic", nonce: "f8ae7526258e6c3", key: "975ed7922ff4eacd72c80ff25ee28323" }
13:07:23.941 [conn1] end connection 217.70.33.64:44426 (9 connections now open)
13:07:23.995 [initandlisten] connection accepted from 217.70.33.64:44431 #12 (10 connections now open)
13:07:24.050 [conn12] authenticate db: local { authenticate: 1, nonce: "4b501a5e7942eb6f", user: "_system", key: "195a64058a9e16a3bca4defall110ab6f" }
13:07:26.198 [initandlisten] connection accepted from 92.132.242.183:58317 #13 (11 connections now open)
13:07:26.427 [rsBackgroundSync] replSet syncing to: sture.transmachina.net:27017
13:07:27.427 [rsSyncNotifier] replSet setting oplog notifier to sture.transmachina.net:27017
13:07:33.738 [initandlisten] connection accepted from 217.70.33.64:44440 #14 (12 connections now open)
13:07:33.850 [conn14] authenticate db: admin { authenticate: 1, user: "mmsagent", nonce: "ffbb13d57a6c8a1", key: "fe89c28e6b1c346d7b871077bf2383" }
13:07:41.458 [initandlisten] connection accepted from 217.70.33.64:44448 #15 (13 connections now open)
13:07:41.567 [conn15] authenticate db: admin { authenticate: 1, user: "mmsagent", nonce: "900d2e7a5f48add", key: "b8fe532d99836274e896f01f7e652709" }
```



```
13:16:10.531 [conn65] authenticate db: local { authenticate: 1, nonce: "915f933755ce9e1a", user: "__system", key: "cd7b6865dbc67fc5aab933f7502a0dcd" }
13:16:31.108 [conn64] end connection 217.70.34.135:47796 (18 connections now open)
13:16:31.162 [initandlisten] connection accepted from 217.70.34.135:47800 #67 (19 connections now open)
13:16:31.217 [conn67] authenticate db: local { authenticate: 1, nonce: "a76bfall1782fb59d", user: "__system", key: "4637653d3a4b5d3583c5d056a6963e9b" }
13:16:41.314 [conn65] end connection 217.70.33.64:44986 (18 connections now open)
13:16:41.369 [initandlisten] connection accepted from 217.70.33.64:45025 #68 (19 connections now open)
13:16:41.423 [conn68] authenticate db: local { authenticate: 1, nonce: "65e0e0ef0efa504d", user: "__system", key: "2eab5ed7c945679bd37180a4db023efd" }
13:17:02.098 [conn67] end connection 217.70.34.135:47800 (18 connections now open)
13:17:02.154 [initandlisten] connection accepted from 217.70.34.135:47804 #69 (19 connections now open)
13:17:02.210 [conn69] authenticate db: local { authenticate: 1, nonce: "6aa08060ce7e164a", user: "__system", key: "39ecd1b87050eef0740e7b7563b257" }
13:17:12.311 [conn68] end connection 217.70.33.64:45025 (18 connections now open)
13:17:12.365 [initandlisten] connection accepted from 217.70.33.64:45049 #70 (19 connections now open)
13:17:12.419 [conn70] authenticate db: local { authenticate: 1, nonce: "8ffe83e46454ff14", user: "__system", key: "97c8518elf6d52cf979d050f71bf6f3b" }
13:17:33.109 [conn69] end connection 217.70.34.135:47804 (18 connections now open)
13:17:33.156 [initandlisten] connection accepted from 217.70.34.135:47808 #72 (19 connections now open)
13:17:33.204 [conn72] authenticate db: local { authenticate: 1, nonce: "e9a683b08a32691a", user: "__system", key: "f59d3efe0ef55469c8d616cd164c9cc" }
```